

# Halestic Walls

"Carefully crafted for best-in-class finish for interior and exterior walls"







# Halo

Compliant to VOC requirement for Paints for LEED rated buildings<sup>1</sup>

Compliant to GRIHA standards for Low VOC<sup>2</sup>

Compliant to JIS test for Anti-Microbial Activity<sup>3</sup>

No Fungal Growth as per ASTM Test D5590:2017<sup>4</sup>

Resistance to Household Stains as per ASTM Test D4828:94(2016)<sup>5</sup>

### Halŏ MAJESTIC EXTERIORS

Compliant to VOC requirement for Paints for LEED rated buildings<sup>1</sup> No Algal growth as per ASTM Test D5589-09 (2013)<sup>6</sup>

UV Block as per QUV Test<sup>7</sup>



Halo Majestic Emulsions are specially formulated to blend the functions of a primer with the finish coat. Two coats of Halo Majestic Interiors or Exteriors provide a sturdier coat than the conventional 'Primer + 2 Finish coats' system, bringing your vision to life in quick time with less effort.\*

#### JSW Paints - Think Beautiful.

Every JSW Paints product works to transform beautiful thoughts into reality. Everything about the paint, its application and finish is designed to be the 'Simple-Swift-Sure' way to making homes beautiful.

\*When painting unpainted surfaces, light shade over previous dark shade, painting over oil based paint/distemper/ cement paint - a coat of JSW Interior/Exterior Wall Primer as applicable should be applied. Apply JSW Wall Primer over spots where spot putty/cement/crack filler is applied. Allow primer to dry for 3-4 hours before finish coat.



<sup>1</sup>Compliant to LEED (Leadership in Energy & Environmental Design) VOC criteria as per IGBC (Indian Green Building Council) as tested at National Test House, Mumbai. <sup>2</sup>Compliant to GRIHA (Green Rating for Integrated Habitat Assessment) Criterion 26 on Low VOC Interior Paints as tested at National Test House, Mumbai. <sup>3</sup>Compliant to Japanese Industrial Standard - JIS Z 2801: 2010 Test for Anti-Bacterial Activity and Efficacy' as tested at Biotech Testing Services, Mumbai. <sup>4</sup>No fungal growth when tested as per ASTM D5590: 2017 for 'Determining the Resistance of Paint Films to Fungal Defacement' as tested at Biotech Testing Services, Mumbai. <sup>5</sup>Resistance to stains when tested as per ASTM D4828: 94 (2012) for relative ease of removal of common soil and stains from interior coatings as tested at National Test House, Mumbai. <sup>6</sup>No algal growth when tested as per ASTM D559-09 (2013) for Determining the resistance of Paint Films to Algae Defacement as tested at Biotech Testing Services, Mumbai. <sup>6</sup>No algal growth when tested as per ASTM D559-09 (2013) for Determining the resistance of Paint Films to Algae Defacement as tested at Biotech Testing Services, Mumbai. <sup>6</sup>No algal growth when tested as per ASTM D5589-09 (2013) for Determining the resistance of Paint Films to Algae Defacement as tested at Biotech Testing Services, Mumbai. <sup>6</sup>Resistance to Ultra violet Radiation when tested as per ASTM G155: 2013 of paint exposure to Ultra violet radiation generated by Xenon Arc for the duration of 1000 hours as tested at National Test House, Mumbai.



Have beautiful thoughts for your home? Transform them into reality with the state of the art water-based interior emulsion. Its silk finish and legendary quality delivers washability and stain-resistance.



#### **FILM FEATURES**

ENDURES 7 YEARS*	7	Provic to give a long
STAIN RESISTANT	t In	Advar techno from p stain o
ANTI FUNGAL		lts ant helps i clean
ELEGANT SHEEN		Give y look w
EXCELLENT SMOOTHNESS		Gives and fir

Provides the highest durability o give your interior walls long-lasting majestic look Advanced stain-blocking

echnology prevents stains rom penetration to make tain cleaning easy

lts anti-fungal properties helps in keeping the walls clean and healthy

Give your walls an elegant ook with a beautiful sheen

Gives a silky smooth touch and finish to the walls

#### **APPLICATION FEATURES**

HIGH OPACITY Each coat with high opacity offers excellent hiding

EASY TO APPLY

COVERAGE<sup>^</sup>



140-160 sq.ft./L for 2 coats

#### **TECHNICAL PROPERTIES**



 Hală



AVAILABLE IN OVER 1800 SHADES



\*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.

\*VOC Levels as certified by NTH. Meets VOC as per BIS Standard – IS 101 (Part 2/Sec 2)/1986 & IS 101 (Part 2/Sec 1)/1988. ^Actual coverage may vary from the quoted coverage due to factors such as method and condition of application and surface roughness and porosity.



When it comes to quality, the Halo range excels in every test performed. From stain resistance to protection against algae growth. Every little detail has been meticulously taken care of, so your home can stay beautiful for longer. Don't take our word for it? See the results for yourself.

#### STAIN RESISTANT INTERIORS

**Experiment:** Panels painted with Halo Majestic Interiors, as depicted in the images below, were stained with crayon, ketchup and marker. After a while, an attempt was made to wipe off the stains with the help of a cotton cloth and soap water.





**Outcome:** The stains could be easily wiped off. And the panel was left beautiful and spotless, thanks to the superior stain resistant property of Halo Majestic Interiors.


#### ANTI ALGAL EXTERIORS

**Experiment:** A set of panels coated with Primer and a set of panels coated with Halo Majestic Exteriors were exposed to a continuous flow of water inside an algae chamber. The panels were observed on the 1st day, the 20th day and the 40th day. The transformation has been depicted in the images below.




WITH HALO EXTERIOR

> ONLY PRIMER



DURATION (IN DAYS)





What's beautiful inside should be beautiful outside. Give your home exteriors a water-based emulsion finish that actively fights algae, fungus and is resistant to dirt pick up.



#### **FILM FEATURES**



Provides enhanced protection to your beautiful exterior walls that lasts for years

All year weather resistance to cracking, peeling and fading

Its special agents defend algae growth to keep your exterior wall clean and healthy

Its high dirt pick-up resistance does not allow dust to settle on the surface easily

Give your walls an elegant look with a beautiful sheen

#### **APPLICATION FEATURES** F

HIGH OPACITY

SHEEN

Each coat with high opacity offers excellent hiding

EASY TO APPLY





#### **TECHNICAL PROPERTIES**

FINISH	$\overleftrightarrow$	*	$\overleftrightarrow$	$\overleftrightarrow$
	MATT	SILK	SATIN	GLOSS

**VOC LEVEL<sup>+</sup>** <10gm/L

COVERAGE<sup>^</sup>

60-65 sq.ft./L for 2 coats





75

AVAILABLE IN OVER1800



\*Subject to compliance with conditions maintained in Product Information Sheet, regional climatic conditions, accidental damage, usual wear and tear in the area where applied.

\*VOC Levels as certified by NTH. Meets VOC as per BIS Standard – IS 101 (Part 2/Sec 2)/1986 & IS 101 (Part 2/Sec 1)/1988. Actual coverage may vary from the quoted coverage due to factors such as method and condition of application and surface roughness and porosity.



We believe everyone has the power to Think Beautiful if they have the right tools. That is why JSW Paints presents Colour**vista** range of colour tools to help bring your inner world of imagination to life, beautifully!

#### **SHADE PALETTE**

#### **SHADE PORTRAIT**



Tone based collection of 96 popular colours for interiors and exteriors



## Collection of 6 theme based cards for interiors and exteriors.

#### **SHADE PANORAMA**



Range of 1808 curated colours arranged by tonality of shades.

#### **SAMPLE POT**



The 250 ml sample pot gives a preview of the shade that can make your space picturesque.



Our Customer Relationship Officer - your 'Buddy' can help you find the shade you are looking for, the right product and preview the look before painting and more. **To get doorstep assistance, call 1800-121-5797. Email: ccpaints@jsw.in** 

JSW Paints Pvt. Ltd., Regd Office: Jindal Mansion 5A, Dr. G. Deshmukh, Mumbai-400026. For more information, visit www.jswpaints.in

